

Package: cstime (via r-universe)

May 21, 2026

Title Date and Time Functions for Public Health Purposes

Version 2025.10.13

Description Provides easy and consistent time conversion for public health purposes. The time conversion functions provided here are between date, ISO week, ISO yearweek, ISO year, calendar month/year, season, season week.

License MIT + file LICENSE

URL <https://www.csids.no/cstime/>, <https://github.com/csids/cstime>

BugReports <https://github.com/csids/cstime/issues>

Encoding UTF-8

LazyData true

LazyDataCompression xz

RoxygenNote 7.3.2

Depends R (>= 3.5.0)

Imports data.table, magrittr

Suggests rmarkdown, ggplot2, knitr, testthat (>= 3.0.0), readxl, glue, lubridate

Config/testthat/edition 3

VignetteBuilder knitr

NeedsCompilation no

Author Chi Zhang [aut] (ORCID: <<https://orcid.org/0000-0003-0501-5909>>), Richard Aubrey White [aut, cre] (ORCID: <<https://orcid.org/0000-0002-6747-1726>>), CSIDS [cph]

Maintainer Richard Aubrey White <hello@rwhite.no>

Repository <https://raubreywhite.r-universe.dev>

Date/Publication 2025-10-14 13:20:02 UTC

RemoteUrl <https://github.com/cran/cstime>

RemoteRef HEAD

RemoteSha 96b73d33499dfe4dea7ae3b2a0d5b10dcfb624b3

Contents

date_to_calmonth_c	3
date_to_calmonth_n	3
date_to_calyear_c	4
date_to_calyear_n	5
date_to_calyearmonth_c	6
date_to_isoquarter_c	6
date_to_isoquarter_n	7
date_to_isoweek_c	8
date_to_isoweek_n	9
date_to_isoyear_c	9
date_to_isoyear_n	10
date_to_isoyearquarter_c	11
date_to_isoyearweek_c	12
date_to_season_c	12
date_to_seasonweek_n	13
dates_by_isoyearweek	13
isoweek_to_seasonweek_n	14
isoyear_to_last_date	15
isoyear_to_last_isoweek_n	16
isoyear_to_last_isoyearweek_c	16
isoyearweek_to_isoquarter_c	17
isoyearweek_to_isoquarter_n	18
isoyearweek_to_isoweek_c	19
isoyearweek_to_isoweek_n	19
isoyearweek_to_isoyear_c	20
isoyearweek_to_isoyear_n	21
isoyearweek_to_isoyearquarter_c	21
isoyearweek_to_last_date	22
isoyearweek_to_season_c	23
isoyearweek_to_seasonweek_n	23
keep_sundays	24
keep_sundays_and_latest_date	24
keep_sundays_and_latest_date_internal	25
nor_workdays_by_date	26
nor_workdays_by_isoyearweek	26
now_c	27
season_to_last_date	27
seasonweek_to_isoweek_c	28
seasonweek_to_isoweek_n	28

Index

30

date_to_calmonth_c *Date -> calmonth (character)*

Description

Date -> calmonth (character)

Usage

```
date_to_calmonth_c(x = lubridate::today())

## Default S3 method:
date_to_calmonth_c(x)

## S3 method for class 'character'
date_to_calmonth_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_calmonth_c(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

calmonth ("XX")

Examples

```
date_to_calmonth_c("2021-08-11")
date_to_calmonth_c(lubridate::today())
```

date_to_calmonth_n *Date -> calmonth (numeric)*

Description

Date -> calmonth (numeric)

Usage

```

date_to_calmonth_n(x = lubridate::today())

## Default S3 method:
date_to_calmonth_n(x)

## S3 method for class 'character'
date_to_calmonth_n(x = lubridate::today())

## S3 method for class 'Date'
date_to_calmonth_n(x = lubridate::today())

```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

calmonth

Examples

```

date_to_calmonth_n("2021-08-11")
date_to_calmonth_n(lubridate::today())

```

date_to_calyear_c *Date -> calyear (character)*

Description

Date -> calyear (character)

Usage

```

date_to_calyear_c(x = lubridate::today())

## Default S3 method:
date_to_calyear_c(x)

## S3 method for class 'character'
date_to_calyear_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_calyear_c(x = lubridate::today())

```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO year in character

Examples

```
date_to_calyear_c("2021-08-11")
date_to_calyear_c(lubridate::today())
```

date_to_calyear_n *Date -> calyear (numeric)*

Description

Date -> calyear (numeric)

Usage

```
date_to_calyear_n(x = lubridate::today())

## Default S3 method:
date_to_calyear_n(x)

## S3 method for class 'character'
date_to_calyear_n(x = lubridate::today())

## S3 method for class 'Date'
date_to_calyear_n(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO year in character

Examples

```
date_to_calyear_n("2021-08-11")
date_to_calyear_n(lubridate::today())
```

```
date_to_calyearmonth_c
      Date -> calyearmonth (character)
```

Description

Date -> calyearmonth (character)

Usage

```
date_to_calyearmonth_c(x = lubridate::today())

## Default S3 method:
date_to_calyearmonth_c(x)

## S3 method for class 'character'
date_to_calyearmonth_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_calyearmonth_c(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

calyearmonth ("YYYY-MXX")

Examples

```
date_to_calyearmonth_c("2021-08-11")
date_to_calyearmonth_c(lubridate::today())
```

```
date_to_isoquarter_c    ISO quarter (character) from Date object
```

Description

ISO quarter (character) from Date object

Usage

```

date_to_isoquarter_c(x = lubridate::today())

## Default S3 method:
date_to_isoquarter_c(x)

## S3 method for class 'character'
date_to_isoquarter_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoquarter_c(x = lubridate::today())

```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO quarter in character

Examples

```

date_to_isoquarter_c("2021-08-11")
date_to_isoquarter_c(lubridate::today())

```

date_to_isoquarter_n *ISO quarter (numeric) from Date object*

Description

ISO quarter (numeric) from Date object

Usage

```

date_to_isoquarter_n(x = lubridate::today())

## Default S3 method:
date_to_isoquarter_n(x)

## S3 method for class 'character'
date_to_isoquarter_n(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoquarter_n(x = lubridate::today())

```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO quarter in numeric

Examples

```
date_to_isoquarter_n("2021-08-11")
date_to_isoquarter_n(lubridate::today())
```

date_to_isoweek_c *ISO week (character) from Date object*

Description

ISO week (character) from Date object

Usage

```
date_to_isoweek_c(x = lubridate::today())

## Default S3 method:
date_to_isoweek_c(x)

## S3 method for class 'character'
date_to_isoweek_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoweek_c(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO week in character

Examples

```
date_to_isoweek_c("2021-08-11")
date_to_isoweek_c(lubridate::today())
```

date_to_isoweek_n *ISO week (numeric) from Date object*

Description

ISO week (numeric) from Date object

Usage

```
date_to_isoweek_n(x = lubridate::today())

## Default S3 method:
date_to_isoweek_n(x)

## S3 method for class 'character'
date_to_isoweek_n(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoweek_n(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO week in numeric

Examples

```
date_to_isoweek_n("2021-08-11")
date_to_isoweek_n(lubridate::today())
```

date_to_isoyear_c *ISO year (character) from Date object*

Description

ISO year (character) from Date object

Usage

```

date_to_isoyear_c(x = lubridate::today())

## Default S3 method:
date_to_isoyear_c(x)

## S3 method for class 'character'
date_to_isoyear_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoyear_c(x = lubridate::today())

```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO year in character

Examples

```

date_to_isoyear_c("2021-08-11")
date_to_isoyear_c(lubridate::today())

```

date_to_isoyear_n *ISO year (numeric) from Date object*

Description

ISO year (numeric) from Date object

Usage

```

date_to_isoyear_n(x = lubridate::today())

## Default S3 method:
date_to_isoyear_n(x)

## S3 method for class 'character'
date_to_isoyear_n(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoyear_n(x = lubridate::today())

```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO year in numeric

Examples

```
date_to_isoyear_n("2021-08-11")
date_to_isoyear_n(lubridate::today())
```

date_to_isoyearquarter_c

ISO year and quarter (character) from Date object

Description

ISO year and quarter (character) from Date object

Usage

```
date_to_isoyearquarter_c(x = lubridate::today())

## Default S3 method:
date_to_isoyearquarter_c(x)

## S3 method for class 'character'
date_to_isoyearquarter_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoyearquarter_c(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO year and quarter in character

Examples

```
date_to_isoyearquarter_c("2021-08-11")
date_to_isoyearquarter_c(lubridate::today())
```

date_to_isoyearweek_c *ISO year and week (character) from Date object*

Description

ISO year and week (character) from Date object

Usage

```
date_to_isoyearweek_c(x = lubridate::today())

## Default S3 method:
date_to_isoyearweek_c(x)

## S3 method for class 'character'
date_to_isoyearweek_c(x = lubridate::today())

## S3 method for class 'Date'
date_to_isoyearweek_c(x = lubridate::today())
```

Arguments

x a Date object or string, in the form of 'yyyy-mm-dd'

Value

ISO year and week in character

Examples

```
date_to_isoyearweek_c("2021-08-11")
date_to_isoyearweek_c(lubridate::today())
```

date_to_season_c *Date to season.*

Description

Date to season.

Usage

```
date_to_season_c(x)
```

Arguments

x date

Value

Season, e.g. 2020/2021

Examples

```
date_to_season_c(c("2021-01-01", "2021-12-01"))
```

`date_to_seasonweek_n` *Date to season week.*

Description

Date to season week.

Usage

```
date_to_seasonweek_n(x)
```

Arguments

x	date
---	------

Value

Season week in numeric

Examples

```
date_to_seasonweek_n(c("2021-01-01", "2021-12-01"))
```

`dates_by_isoyearweek` *Dates of different days within isoyearweeks*

Description

Dates of different days within isoyearweeks

Usage

```
dates_by_isoyearweek
```

Format

isoyear Isoyear.
isoyearweek Isoweek-isoyear.
mon Date of Monday.
tue Date of Tuesday.
wed Date of Wednesday.
thu Date of Thursday.
fri Date of Friday.
sat Date of Saturday.
sun Date of Sunday.
weekdays List of dates from Mon-Fri
weekend List of dates from Sat-Sun
days List of dates from Mon-Sun

Examples

```
# Constructing a vector of dates without removing the Date class
do.call("c", dates_by_isoyearweek[isoyearweek %in% c("2021-01", "2021-02")]$weekdays)
```

```
isoweek_to_seasonweek_n
      ISO week to season week (numeric). Season week 1 is natural week 35.
```

Description

ISO week to season week (numeric). Season week 1 is natural week 35.

Usage

```
isoweek_to_seasonweek_n(x)

## Default S3 method:
isoweek_to_seasonweek_n(x)

## S3 method for class 'character'
isoweek_to_seasonweek_n(x)

## S3 method for class 'numeric'
isoweek_to_seasonweek_n(x)
```

Arguments

x ISO week in a year (numeric), between 1 and 53. ISO week 53 is season week 18.5

Value

Season week in numeric

Examples

```
isoweek_to_seasonweek_n(31)
```

isoyear_to_last_date *Last Sunday in ISO year*

Description

Returns the last Sunday in the isoyear

Usage

```
isoyear_to_last_date(x)  
  
## Default S3 method:  
isoyear_to_last_date(x)  
  
## S3 method for class 'character'  
isoyear_to_last_date(x)  
  
## S3 method for class 'numeric'  
isoyear_to_last_date(x)
```

Arguments

x ISO year, e.g. 2020

Value

Date of the Sunday, for the last week in the isoyear

Examples

```
isoyear_to_last_date(c(2019, 2019, 2020, 2021))
```

isoyear_to_last_isoweek_n

Last ISO week (numeric) in ISO year

Description

Returns the last week in the isoyear

Usage

```
isoyear_to_last_isoweek_n(x)
```

```
## Default S3 method:
```

```
isoyear_to_last_isoweek_n(x)
```

```
## S3 method for class 'character'
```

```
isoyear_to_last_isoweek_n(x)
```

```
## S3 method for class 'numeric'
```

```
isoyear_to_last_isoweek_n(x)
```

Arguments

x ISO year, e.g. 2020

Value

ISO week in numeric

Examples

```
isoyear_to_last_isoweek_n(c(2019, 2019, 2020, 2021))
```

isoyear_to_last_isoyearweek_c

Last ISO yearweek (character) in ISO year

Description

Returns the last isoyearweek in the isoyear

Usage

```
isoyear_to_last_isoyearweek_c(x)

## Default S3 method:
isoyear_to_last_isoyearweek_c(x)

## S3 method for class 'character'
isoyear_to_last_isoyearweek_c(x)

## S3 method for class 'numeric'
isoyear_to_last_isoyearweek_c(x)
```

Arguments

x ISO year, e.g. 2020

Value

ISO year-week in character, of the last ISO year

Examples

```
isoyear_to_last_isoyearweek_c(c(2019, 2019, 2020, 2021))
```

```
isoyearweek_to_isoquarter_c
                          ISO yearweek to quarter (character)
```

Description

This function breaks the string connected with '-' into year/quarter

Usage

```
isoyearweek_to_isoquarter_c(x)

## Default S3 method:
isoyearweek_to_isoquarter_c(x)

## S3 method for class 'character'
isoyearweek_to_isoquarter_c(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO quarter in character

Examples

```
isoyearweek_to_isoquarter_c('2020-19')
```

```
isoyearweek_to_isoquarter_n  
      ISO yearweek to quarter (numeric)
```

Description

This function breaks the string connected with '-' into year/quarter

Usage

```
isoyearweek_to_isoquarter_n(x)  
  
## Default S3 method:  
isoyearweek_to_isoquarter_n(x)  
  
## S3 method for class 'character'  
isoyearweek_to_isoquarter_n(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO quarter in numeric

Examples

```
isoyearweek_to_isoquarter_n('2020-19')
```

```
isoyearweek_to_isoweek_c
      ISO yearweek to week (character)
```

Description

This function breaks the string connected with '-' into year/week

Usage

```
isoyearweek_to_isoweek_c(x)

## Default S3 method:
isoyearweek_to_isoweek_c(x)

## S3 method for class 'character'
isoyearweek_to_isoweek_c(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO week in character

Examples

```
isoyearweek_to_isoweek_c('2020-19')
```

```
isoyearweek_to_isoweek_n
      ISO yearweek to week (numeric)
```

Description

This function breaks the string connected with '-' into year/week

Usage

```
isoyearweek_to_isoweek_n(x)

## Default S3 method:
isoyearweek_to_isoweek_n(x)

## S3 method for class 'character'
isoyearweek_to_isoweek_n(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO week in numeric

Examples

```
isoyearweek_to_isoweek_n('2020-19')
```

```
isoyearweek_to_isoyear_c  
                          ISO yearweek to year (character)
```

Description

This function breaks the string connected with '-' into year/week

Usage

```
isoyearweek_to_isoyear_c(x)  
  
## Default S3 method:  
isoyearweek_to_isoyear_c(x)  
  
## S3 method for class 'character'  
isoyearweek_to_isoyear_c(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO year in character

Examples

```
isoyearweek_to_isoyear_c('2020-10')
```

isoyearweek_to_isoyear_n
ISO yearweek to year (numeric)

Description

This function breaks the string connected with '-' into year/week

Usage

```
isoyearweek_to_isoyear_n(x)

## Default S3 method:
isoyearweek_to_isoyear_n(x)

## S3 method for class 'character'
isoyearweek_to_isoyear_n(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO year in numeric

Examples

```
isoyearweek_to_isoyear_n('2020-10')
```

isoyearweek_to_isoyearquarter_c
ISO yearweek to ISO yearquarter (character)

Description

ISO yearweek to ISO yearquarter (character)

Usage

```
isoyearweek_to_isoyearquarter_c(x)

## Default S3 method:
isoyearweek_to_isoyearquarter_c(x)

## S3 method for class 'character'
isoyearweek_to_isoyearquarter_c(x)
```

Arguments

x Year-week, e.g. "2020-19" for 19th week in 2020

Value

ISO yearquarter in character

Examples

```
isoyearweek_to_isoyearquarter_c('2020-19')
```

```
isoyearweek_to_last_date
```

Last date in ISO yearweek

Description

Returns the Sunday in the isoyearweek

Usage

```
isoyearweek_to_last_date(x)
```

```
## Default S3 method:
```

```
isoyearweek_to_last_date(x)
```

```
## S3 method for class 'character'
```

```
isoyearweek_to_last_date(x)
```

Arguments

x ISO yearweek, e.g. "2020-19" for 19th week in 2020

Value

Date of Sunday of that isoyearweek

Examples

```
isoyearweek_to_last_date(c("2019-19", "2020-01"))
```

isoyearweek_to_season_c
ISO yearweek to season.

Description

ISO yearweek to season.

Usage

```
isoyearweek_to_season_c(x)
```

```
## Default S3 method:
```

```
isoyearweek_to_season_c(x)
```

```
## S3 method for class 'character'
```

```
isoyearweek_to_season_c(x)
```

Arguments

x isoyearweek, connected with '-'

Value

Season, e.g. 2020/2021

Examples

```
isoyearweek_to_season_c(c("2021-01", "2021-50"))
```

isoyearweek_to_seasonweek_n
ISO yearweek to season week (numeric). Season week 1 is ISO week 35.

Description

ISO yearweek to season week (numeric). Season week 1 is ISO week 35.

Usage

```
isoyearweek_to_seasonweek_n(x)
```

Arguments

x ISO yearweek

Value

Season week in numeric

Examples

```
isoyearweek_to_seasonweek_n(c("2021-01"))
```

keep_sundays	<i>keep_sundays</i>
--------------	---------------------

Description

keep_sundays

Usage

```
keep_sundays(dates, format = "Uke isoweek_c-1/isoweek_c", keep_delete = TRUE)
```

Arguments

dates	dates (later)
format	format (later)
keep_delete	keep_delete (later)

Value

Label: delete or not

keep_sundays_and_latest_date	<i>keep_sundays_and_latest_date</i>
------------------------------	-------------------------------------

Description

keep_sundays_and_latest_date

Usage

```
keep_sundays_and_latest_date(
  dates,
  format = "Uke isoweek_c-1/isoweek_c",
  keep_delete = TRUE
)
```

Arguments

dates	dates (later)
format	format (later)
keep_delete	keep_delete (later)

Value

Date with level: delete or not

`keep_sundays_and_latest_date_internal`
keep_sundays_and_latest_date_internal

Description

`keep_sundays_and_latest_date_internal`

Usage

```
keep_sundays_and_latest_date_internal(  
  dates,  
  format = "Uke isoweek_c-1/isoweek_c",  
  keep_delete = TRUE,  
  keep_latest_date = TRUE  
)
```

Arguments

dates	dates (later)
format	format (later)
keep_delete	keep_delet (later)
keep_latest_date	keep_latest_date (later)

nor_workdays_by_date *Norwegian workdays and holidays by date*

Description

Norwegian workdays and holidays by date

Usage

nor_workdays_by_date

Format

date Date.

day_of_week Integer. 1 = Monday, 7 = Sunday

mon_to_fri Integer. 1 between Monday and Friday, 0 between Saturday and Sunday

sat_to_sun Integer. 1 between Saturday and Sunday, 0 between Monday and Friday

public_holiday Integer. 1 if public holiday (helligdag), 0 if not public holiday

freeday Integer. 1 if public holiday (helligdag) or sat_to_sun==1, 0 otherwise

workday Integer. 1 if freeday==0, 0 if freeday==1

nor_workdays_by_isoyearweek
Norwegian workdays and holidays by isoyearweek

Description

Norwegian workdays and holidays by isoyearweek

Usage

nor_workdays_by_isoyearweek

Format

isoyearweek YYYY-WW

public_holiday The proportion of the days within the isoyearweek that are public holidays

freeday The proportion of the days within the isoyearweek that are either public holidays or Saturday/Sunday

workday 1 minus freeday

now_c	<i>Current time as character</i>
-------	----------------------------------

Description

Current time as character

Usage

```
now_c(format = "%Y-%m-%d %H:%M:%S")
```

Arguments

format	Defaults to <code>%Y-%m-%d %H:%M:%S</code>
--------	--

season_to_last_date	<i>Last date in season</i>
---------------------	----------------------------

Description

Returns the last Sunday in the season

Usage

```
season_to_last_date(x)

## Default S3 method:
season_to_last_date(x)

## S3 method for class 'character'
season_to_last_date(x)
```

Arguments

x	Season, e.g. "2019/2020"
---	--------------------------

Value

Date of last Sunday of that season

Examples

```
isoyearweek_to_last_date(c("2019-19", "2020-01"))
```

```
seasonweek_to_isoweek_c
```

Season week to ISO week (character). Season week 1 is ISO week 35.

Description

Season week to ISO week (character). Season week 1 is ISO week 35.

Usage

```
seasonweek_to_isoweek_c(x)
```

```
## Default S3 method:
```

```
seasonweek_to_isoweek_c(x)
```

```
## S3 method for class 'numeric'
```

```
seasonweek_to_isoweek_c(x)
```

Arguments

x Season week in a year (numeric), between 1 and 52

Value

ISO week in character

Examples

```
seasonweek_to_isoweek_c(31)
```

```
seasonweek_to_isoweek_n
```

Season week to ISO week (numeric). Season week 1 is ISO week 35.

Description

Season week to ISO week (numeric). Season week 1 is ISO week 35.

Usage

```
seasonweek_to_isoweek_n(x)
```

```
## Default S3 method:
```

```
seasonweek_to_isoweek_n(x)
```

```
## S3 method for class 'numeric'
```

```
seasonweek_to_isoweek_n(x)
```

Arguments

x Season week in a year, between 1 and 52

Value

ISO week in numeric

Examples

`seasonweek_to_isoweek_n(31)`

Index

* datasets

- dates_by_isoyearweek, [13](#)
- nor_workdays_by_date, [26](#)
- nor_workdays_by_isoyearweek, [26](#)

- date_to_calmonth_c, [3](#)
- date_to_calmonth_n, [3](#)
- date_to_calyear_c, [4](#)
- date_to_calyear_n, [5](#)
- date_to_calyearmonth_c, [6](#)
- date_to_isoquarter_c, [6](#)
- date_to_isoquarter_n, [7](#)
- date_to_isoweek_c, [8](#)
- date_to_isoweek_n, [9](#)
- date_to_isoyear_c, [9](#)
- date_to_isoyear_n, [10](#)
- date_to_isoyearquarter_c, [11](#)
- date_to_isoyearweek_c, [12](#)
- date_to_season_c, [12](#)
- date_to_seasonweek_n, [13](#)
- dates_by_isoyearweek, [13](#)

- isoweek_to_seasonweek_n, [14](#)
- isoyear_to_last_date, [15](#)
- isoyear_to_last_isoweek_n, [16](#)
- isoyear_to_last_isoyearweek_c, [16](#)
- isoyearweek_to_isoquarter_c, [17](#)
- isoyearweek_to_isoquarter_n, [18](#)
- isoyearweek_to_isoweek_c, [19](#)
- isoyearweek_to_isoweek_n, [19](#)
- isoyearweek_to_isoyear_c, [20](#)
- isoyearweek_to_isoyear_n, [21](#)
- isoyearweek_to_isoyearquarter_c, [21](#)
- isoyearweek_to_last_date, [22](#)
- isoyearweek_to_season_c, [23](#)
- isoyearweek_to_seasonweek_n, [23](#)

- keep_sundays, [24](#)
- keep_sundays_and_latest_date, [24](#)

- keep_sundays_and_latest_date_internal, [25](#)

- nor_workdays_by_date, [26](#)
- nor_workdays_by_isoyearweek, [26](#)
- now_c, [27](#)

- season_to_last_date, [27](#)
- seasonweek_to_isoweek_c, [28](#)
- seasonweek_to_isoweek_n, [28](#)